

PROJECT ID: Ball Findlay - L3 & L4 - OH  
 L3 & L4 1340 County Road 99 21045 Findlay, OH 45840  
 SCOPE: Reinforcement



COMPANY INFORMATION: USA CONSTRUCTION ESTIMATING

CONTACT: +1 760 814 9551  
 E-MAIL ADDRESS: info@usaconstructionestimating.com  
 PHONE NUMBER:  
 Date:

ITEM #	DWG. #	DESCRIPTION	Cut Length (LF)	No of Bars (EA)	Total Linear Feet (LF)	Unit Weight of Rebar (LBS/FT)	Total Weight of Rebar	UNIT	MATERIAL COST	LABOR COST	TOTAL COST	TRADE COST
<b>GENERAL REQUIREMENTS</b>												
1		Supervision	1	1	1	1	1	LS	\$0	\$0	\$0	
2		Permits	1	1	1	1	1	LS	\$0	\$0	\$0	
3		Final Clean-up	1	1	1	1	1	LS	\$0	\$0	\$0	
4		Mobilization Costs	1	1	1	1	1	LS	\$0	\$0	\$0	
5		Project Overheads	1	1	1	1	1	LS	\$0	\$0	\$0	
6		Bonds	1	1	1	1	1	LS	\$0	\$0	\$0	
7		Temporary Control & Facilities	1	1	1	1	1	LS	\$0	\$0	\$0	
<b>Subtotal (General Requirements)</b>												\$0
<b>DIVISION 05- METALS</b>												
<b>L3 &amp; L4 Copper Foundation</b>												
<b>Bottom Rebar's</b>												
8		#8 Rebar	21	15	347	2.67	926.49	LBS	\$2.5	\$1.5	\$3,706	
9		#8 Rebar	19	16	335	2.67	894.45	LBS	\$2.5	\$1.5	\$3,578	
<b>Middle Rebar's</b>												
10		#5 Rebar @ 16" O.C.	14	13	201	1.043	209.643	LBS	\$2.5	\$1.5	\$839	
11		#5 Rebar @ 16" O.C.	16	11	194	1.043	202.342	LBS	\$2.5	\$1.5	\$809	
<b>Top Rebar's</b>												
12		#8 Rebar	16	12	212	2.67	566.04	LBS	\$2.5	\$1.5	\$2,264	
13		#8 Rebar	14.1667	14	219	2.67	584.73	LBS	\$2.5	\$1.5	\$2,339	
<b>Trench</b>												
14		#4 Rebar Continuous	13.36	5	74	0.668	49.432	LBS	\$2.5	\$1.5	\$198	
15		#4 Rebar Continuous	12.4	5	69	0.668	46.092	LBS	\$2.5	\$1.5	\$184	
16		#4 Rebar Continuous	14.83	5	82	0.668	54.776	LBS	\$2.5	\$1.5	\$219	
17		#4 Rebar Continuous	10.86	5	60	0.668	40.08	LBS	\$2.5	\$1.5	\$160	
18		#4 U Bars W/ 4" Hook at Top @ 12" O.C.	3.16	52	181	0.668	120.908	LBS	\$2.5	\$1.5	\$484	
<b>Side Walls</b>												
19		#4 Vertical Rebar	2.5	4	11	0.668	7.348	LBS	\$2.5	\$1.5	\$29	
<b>L3 &amp; L4 Coil handling Foundation</b>												
<b>Bottom Rebar's</b>												
20		#8 Rebar	13	10	143	2.67	381.81	LBS	\$2.5	\$1.5	\$1,527	
21		#8 Rebar	14	1	16	2.67	42.72	LBS	\$2.5	\$1.5	\$171	
22		#8 Rebar	15	15	248	2.67	662.16	LBS	\$2.5	\$1.5	\$2,649	
23		#8 Rebar	17	1	19	2.67	50.73	LBS	\$2.5	\$1.5	\$203	
24		#8 Rebar	27	9	268	2.67	715.56	LBS	\$2.5	\$1.5	\$2,862	
25		#8 Rebar	29	12	383	2.67	1022.61	LBS	\$2.5	\$1.5	\$4,090	
<b>Middle Rebar's</b>												
26		#5 Rebar	10	7	77	1.043	80.311	LBS	\$2.5	\$1.5	\$321	
27		#5 Rebar	11	1	13	1.043	13.559	LBS	\$2.5	\$1.5	\$54	
28		#5 Rebar	12	11	146	1.043	152.278	LBS	\$2.5	\$1.5	\$609	
29		#5 Rebar	14	1	16	1.043	16.688	LBS	\$2.5	\$1.5	\$67	
30		#5 Rebar	24	7	185	1.043	192.955	LBS	\$2.5	\$1.5	\$772	
31		#5 Rebar	26	9	258	1.043	269.094	LBS	\$2.5	\$1.5	\$1,076	
<b>Top Rebar</b>												
32		#8 Rebar	4.33	18	86	2.67	229.62	LBS	\$2.5	\$1.5	\$918	
33		#8 Rebar	6.33	5	35	2.67	93.45	LBS	\$2.5	\$1.5	\$374	
34		#8 Rebar	7.33	2	17	2.67	45.39	LBS	\$2.5	\$1.5	\$182	
35		#8 Rebar	11.33	14	175	2.67	467.25	LBS	\$2.5	\$1.5	\$1,869	
36		#8 Rebar	12.33	1	14	2.67	37.38	LBS	\$2.5	\$1.5	\$150	
37		#8 Rebar	13.33	9	132	2.67	352.44	LBS	\$2.5	\$1.5	\$1,410	
38		#8 Rebar	18.33	5	101	2.67	269.67	LBS	\$2.5	\$1.5	\$1,079	
39		#8 Rebar	20.33	1	23	2.67	61.41	LBS	\$2.5	\$1.5	\$246	
40		#8 Rebar	25.33	3	84	2.67	224.28	LBS	\$2.5	\$1.5	\$897	
41		#8 Rebar	26.33	1	29	2.67	77.43	LBS	\$2.5	\$1.5	\$310	
42		#8 Rebar	27.33	6	181	2.67	483.27	LBS	\$2.5	\$1.5	\$1,933	
43		#8 Rebar	3.33	9	33	2.67	88.11	LBS	\$2.5	\$1.5	\$352	
44		#8 Rebar	3	24	80	2.67	213.6	LBS	\$2.5	\$1.5	\$854	
45		#8 Rebar	2.33	8	21	2.67	56.07	LBS	\$2.5	\$1.5	\$224	
46		#5 Dowels Rebar	3	19	63	1.043	65.709	LBS	\$2.5	\$1.5	\$263	
<b>Bodynaker Foundation (L3 &amp; L4)</b>												
<b>Trench (Multiply All x 9)</b>												
47		#5 U-Rebar @ 12" O.C.	135	15	2228	1.043	2323.804	LBS	\$2.5	\$1.5	\$9,295	
48		#5 Rebar	93.51	4	412	1.043	429.716	LBS	\$2.5	\$1.5	\$1,719	
49		#4 Horizontal Rebar @ 12" O.C	261	6	1723	0.668	1150.964	LBS	\$2.5	\$1.5	\$4,604	
50		#5 Dowel	21.69	30	716	1.043	746.788	LBS	\$2.5	\$1.5	\$2,987	
<b>Wet Can Infeed Trench Detail</b>												
51		#4 Rebar Dowel @ 12" O.C.	1.333	84	124	0.668	82.832	LBS	\$2.5	\$1.5	\$331	
52		#5 Rebar @ 12" O.C.	7.4	13	106	1.043	110.558	LBS	\$2.5	\$1.5	\$442	
<b>Body Maker</b>												
53		#8 Rebar	6.1	63	423	2.67	1129.41	LBS	\$2.5	\$1.5	\$4,518	
54		#8 Rebar	7.5	7	58	2.67	154.86	LBS	\$2.5	\$1.5	\$619	
55		#8 Rebar	10.7	19	224	2.67	598.08	LBS	\$2.5	\$1.5	\$2,392	
56		#8 Rebar	10.9	1	12	2.67	32.04	LBS	\$2.5	\$1.5	\$128	
57		#8 Rebar	11	5	61	2.67	162.87	LBS	\$2.5	\$1.5	\$651	
58		#8 Rebar	11.1	3	37	2.67	98.79	LBS	\$2.5	\$1.5	\$395	
59		#8 Rebar	11.5	9	114	2.67	304.38	LBS	\$2.5	\$1.5	\$1,218	
60		#8 Rebar	11.6	100	1276	2.67	3406.92	LBS	\$2.5	\$1.5	\$13,628	
61		#8 Rebar	12.6	6	84	2.67	224.28	LBS	\$2.5	\$1.5	\$897	
62		#8 Rebar	13.6	5	75	2.67	200.25	LBS	\$2.5	\$1.5	\$801	
63		#8 Rebar	16.4	1	19	2.67	50.73	LBS	\$2.5	\$1.5	\$203	
64		#8 Rebar	16.6	49	895	2.67	2389.65	LBS	\$2.5	\$1.5	\$9,559	
65		#8 Rebar	16.7	7	129	2.67	344.43	LBS	\$2.5	\$1.5	\$1,378	
66		#8 Rebar	19.9	1	22	2.67	58.74	LBS	\$2.5	\$1.5	\$235	
67		#8 Rebar	22.9	6	152	2.67	405.84	LBS	\$2.5	\$1.5	\$1,623	
68		#8 Rebar	25.4	4	112	2.67	299.04	LBS	\$2.5	\$1.5	\$1,196	
69		#8 Rebar	25.5	2	57	2.67	152.19	LBS	\$2.5	\$1.5	\$609	
70		#6 Rebar	2.89	7	23	1.502	34.546	LBS	\$2.5	\$1.5	\$138	
71		#6 Rebar	2.9	7	23	1.502	34.546	LBS	\$2.5	\$1.5	\$138	
72		#6 Rebar	2.91	28	90	1.502	135.18	LBS	\$2.5	\$1.5	\$541	
73		#6 Rebar	2.93	21	68	1.502	102.136	LBS	\$2.5	\$1.5	\$409	
74		#6 Rebar	4.29	7	34	1.502	51.068	LBS	\$2.5	\$1.5	\$204	
75		#6 Rebar	7.49	9	75	1.502	112.65	LBS	\$2.5	\$1.5	\$451	
76		#6 Rebar	7.51	10	83	1.502	124.666	LBS	\$2.5	\$1.5	\$499	
77		#6 Rebar	7.68	1	9	1.502	13.518	LBS	\$2.5	\$1.5	\$54	
78		#6 Rebar	7.75	1	9	1.502	13.518	LBS	\$2.5	\$1.5	\$54	
79		#6 Rebar	7.8	2	18	1.502	27.036	LBS	\$2.5	\$1.5	\$108	
80		#6 Rebar	7.82	1	9	1.502	13.518	LBS	\$2.5	\$1.5	\$54	
81		#6 Rebar	7.83	1	9	1.502	13.518	LBS	\$2.5	\$1.5	\$54	
82		#6 Rebar	7.9	2	18	1.502	27.036	LBS	\$2.5	\$1.5	\$108	
83		#6 Rebar	7.93	1	9	1.502	13.518	LBS	\$2.5	\$1.5	\$54	
84		#6 Rebar	8.29	9	83	1.502	124.666	LBS	\$2.5	\$1.5	\$499	
85		#6 Rebar	8.35	11	102	1.502	153.204	LBS	\$2.5	\$1.5	\$613	
86		#6 Rebar	8.36	22	203	1.502	304.906	LBS	\$2.5	\$1.5	\$1,220	
87		#6 Rebar	8.37	37	341	1.502	512.182	LBS	\$2.5	\$1.5	\$2,049	
88		#6 Rebar	8.38	14	130	1.502	195.26	LBS	\$2.5	\$1.5	\$781	
89		#6 Rebar	8.39	15	139	1.502	208.778	LBS	\$2.5	\$1.5	\$835	

PROJECT ID: Ball Findlay - L3 & L4 - OH  
 L3 & L4 1340 County Road 99 21045 Findlay, OH 45840  
 SCOPE: Reinforcement



COMPANY INFORMATION: USA CONSTRUCTION ESTIMATING

CONTACT: +1 760 814 9551

E-MAIL ADDRESS: info@usaconstructionestimating.com

PHONE NUMBER:

Date:

ITEM #	DWG. #	DESCRIPTION	Cut Length (LF)	No of Bars (EA)	Total Linear Feet	Unit Weight of Rebar (LBS/FT)	Total Weight of Rebar	UNIT	MATERIAL COST	LABOR COST	TOTAL COST	TRADE COST
90		#6 Rebar	8.41	1	10	1.502	15.02	LBS	\$2.5	\$1.5	\$60	
91		#6 Rebar	9.41	5	52	1.502	78.104	LBS	\$2.5	\$1.5	\$312	
92		#6 Rebar	10.43	5	58	1.502	87.116	LBS	\$2.5	\$1.5	\$348	
93		#6 Rebar	13.21	1	15	1.502	22.53	LBS	\$2.5	\$1.5	\$90	
94		#6 Rebar	13.39	7	104	1.502	156.208	LBS	\$2.5	\$1.5	\$625	
95		#6 Rebar	13.4	14	207	1.502	310.914	LBS	\$2.5	\$1.5	\$1,244	
96		#6 Rebar	13.41	7	104	1.502	156.208	LBS	\$2.5	\$1.5	\$625	
97		#6 Rebar	13.42	14	207	1.502	310.914	LBS	\$2.5	\$1.5	\$1,244	
98		#6 Rebar	13.43	7	104	1.502	156.208	LBS	\$2.5	\$1.5	\$625	
99		#6 Rebar	13.45	7	104	1.502	156.208	LBS	\$2.5	\$1.5	\$625	
100		#6 Rebar	16.67	1	19	1.502	28.538	LBS	\$2.5	\$1.5	\$114	
101		#6 Rebar	19.71	6	131	1.502	196.762	LBS	\$2.5	\$1.5	\$787	
102		#6 Rebar	22.19	1	25	1.502	37.55	LBS	\$2.5	\$1.5	\$150	
103		#6 Rebar	22.2	1	25	1.502	37.55	LBS	\$2.5	\$1.5	\$150	
104		#6 Rebar	22.21	1	25	1.502	37.55	LBS	\$2.5	\$1.5	\$150	
105		#6 Rebar	22.22	1	25	1.502	37.55	LBS	\$2.5	\$1.5	\$150	
106		#6 Rebar	22.24	1	25	1.502	37.55	LBS	\$2.5	\$1.5	\$150	
107		#6 Rebar	22.25	1	25	1.502	37.55	LBS	\$2.5	\$1.5	\$150	
		<b>Middle Rebar's</b>										
108		#5 Rebar	14.63	1	17	1.043	17.731	LBS	\$2.5	\$1.5	\$71	
109		#5 Rebar	5.81	1	7	1.043	7.301	LBS	\$2.5	\$1.5	\$29	
110		#5 Rebar	1	45	50	1.043	52.15	LBS	\$2.5	\$1.5	\$209	
111		#5 Rebar	2.3	5	13	1.043	13.559	LBS	\$2.5	\$1.5	\$54	
112		#5 Rebar	5.51	7	43	1.043	44.849	LBS	\$2.5	\$1.5	\$179	
113		#5 Rebar	5.56	8	49	1.043	51.107	LBS	\$2.5	\$1.5	\$204	
114		#5 Rebar	6.32	7	49	1.043	51.107	LBS	\$2.5	\$1.5	\$204	
115		#5 Rebar	6.36	32	224	1.043	233.632	LBS	\$2.5	\$1.5	\$935	
116		#5 Rebar	6.4	41	289	1.043	301.427	LBS	\$2.5	\$1.5	\$1,206	
117		#5 Rebar	6.41	9	64	1.043	66.752	LBS	\$2.5	\$1.5	\$267	
118		#5 Rebar	7.39	4	33	1.043	34.419	LBS	\$2.5	\$1.5	\$138	
119		#5 Rebar	8.52	5	47	1.043	49.021	LBS	\$2.5	\$1.5	\$196	
120		#5 Rebar	11.4	6	76	1.043	79.268	LBS	\$2.5	\$1.5	\$317	
121		#5 Rebar	11.41	5	63	1.043	65.709	LBS	\$2.5	\$1.5	\$263	
122		#5 Rebar	11.43	5	63	1.043	65.709	LBS	\$2.5	\$1.5	\$263	
123		#5 Rebar	11.44	5	63	1.043	65.709	LBS	\$2.5	\$1.5	\$263	
124		#5 Rebar	11.45	5	63	1.043	65.709	LBS	\$2.5	\$1.5	\$263	
125		#5 Rebar	11.46	10	127	1.043	132.461	LBS	\$2.5	\$1.5	\$530	
126		#5 Rebar	11.47	5	64	1.043	66.752	LBS	\$2.5	\$1.5	\$267	
127		#5 Rebar	17.64	4	78	1.043	81.354	LBS	\$2.5	\$1.5	\$325	
128		#5 Rebar	20.29	4	90	1.043	93.87	LBS	\$2.5	\$1.5	\$375	
129		#5 Rebar	2.667	37	109	1.043	113.687	LBS	\$2.5	\$1.5	\$455	
		<b>Wet Can Infeed Trench Details</b>										
130	F200	#5 U Bars @ 12" O.C.	7.9	48	418	1.043	435.974	LBS	\$2.5	\$1.5	\$1,744	
131	F300	#4 Long Rebar's	7	77	593	0.668	396.124	LBS	\$2.5	\$1.5	\$1,584	
132	F301	#5 Long Rebar	7	28	216	1.043	225.288	LBS	\$2.5	\$1.5	\$901	
133	F400	#4 Dowel Rebar @ 12" O.C.	1.58333333	111	194	0.668	129.592	LBS	\$2.5	\$1.5	\$518	
	F502	<b>Decorator Foundation Plan (L3 &amp; L4)</b>										
		<b>Bottom Rebar's</b>										
134		#8 Rebar	7.32	1	9	2.67	24.03	LBS	\$2.5	\$1.5	\$96	
135		#8 Rebar	9.94	5	55	2.67	146.85	LBS	\$2.5	\$1.5	\$587	
136		#8 Rebar	10.03	21	232	2.67	619.44	LBS	\$2.5	\$1.5	\$2,478	
137		#8 Rebar	10.14	1	12	2.67	32.04	LBS	\$2.5	\$1.5	\$128	
138		#8 Rebar	11.14	1	13	2.67	34.71	LBS	\$2.5	\$1.5	\$139	
139		#8 Rebar	12.14	1	14	2.67	37.38	LBS	\$2.5	\$1.5	\$150	
140		#8 Rebar	13.14	1	15	2.67	40.05	LBS	\$2.5	\$1.5	\$160	
141		#8 Rebar	13.19	1	15	2.67	40.05	LBS	\$2.5	\$1.5	\$160	
142		#8 Rebar	13.98	11	170	2.67	453.9	LBS	\$2.5	\$1.5	\$1,816	
143		#8 Rebar	14.19	1	16	2.67	42.72	LBS	\$2.5	\$1.5	\$171	
144		#8 Rebar	15.2	1	17	2.67	45.39	LBS	\$2.5	\$1.5	\$182	
145		#8 Rebar	16.2	1	18	2.67	48.06	LBS	\$2.5	\$1.5	\$192	
146		#8 Rebar	22.07	20	486	2.67	1297.62	LBS	\$2.5	\$1.5	\$5,190	
147		#8 Cont. Rebar	24.03	2	53	2.67	141.51	LBS	\$2.5	\$1.5	\$566	
		<b>Top Rebar's</b>										
148		#6 Rebar	4	8	36	1.502	54.072	LBS	\$2.5	\$1.5	\$216	
149		#6 Rebar	5.04	1	6	1.502	9.012	LBS	\$2.5	\$1.5	\$36	
150		#6 Rebar	10.05	5	56	1.502	84.112	LBS	\$2.5	\$1.5	\$336	
151		#6 Rebar	10.07	19	211	1.502	316.922	LBS	\$2.5	\$1.5	\$1,268	
152		#6 Rebar	10.27	1	12	1.502	18.024	LBS	\$2.5	\$1.5	\$72	
153		#6 Rebar	11.27	1	13	1.502	19.526	LBS	\$2.5	\$1.5	\$78	
154		#6 Rebar	12.27	2	27	1.502	40.554	LBS	\$2.5	\$1.5	\$162	
155		#6 Rebar	13.27	2	30	1.502	45.06	LBS	\$2.5	\$1.5	\$180	
156		#6 Rebar	14.04	11	170	1.502	255.34	LBS	\$2.5	\$1.5	\$1,021	
157		#6 Rebar	14.28	1	16	1.502	24.032	LBS	\$2.5	\$1.5	\$96	
158		#6 Rebar	15.28	1	17	1.502	25.534	LBS	\$2.5	\$1.5	\$102	
159		#6 Rebar	22	22	533	1.502	800.566	LBS	\$2.5	\$1.5	\$3,202	
		<b>RTO Area Foundation</b>										
160		#5 Rebar	1.98	36	79	1.043	82.397	LBS	\$2.5	\$1.5	\$330	
161		#5 Rebar	2.55	1	3	1.043	3.129	LBS	\$2.5	\$1.5	\$13	
162		#5 Rebar	3.07	1	4	1.043	4.172	LBS	\$2.5	\$1.5	\$17	
163		#5 Rebar	3.33	1	4	1.043	4.172	LBS	\$2.5	\$1.5	\$17	
164		#5 Rebar	3.55	1	4	1.043	4.172	LBS	\$2.5	\$1.5	\$17	
165		#5 Rebar	3.6	1	4	1.043	4.172	LBS	\$2.5	\$1.5	\$17	
166		#5 Rebar	3.82	12	51	1.043	53.193	LBS	\$2.5	\$1.5	\$213	
167		#5 Rebar	4.55	1	6	1.043	6.258	LBS	\$2.5	\$1.5	\$25	
168		#5 Rebar	4.93	9	49	1.043	51.107	LBS	\$2.5	\$1.5	\$204	
169		#5 Rebar	5.05	41	228	1.043	237.804	LBS	\$2.5	\$1.5	\$951	
170		#5 Rebar	6.42	13	92	1.043	95.956	LBS	\$2.5	\$1.5	\$384	
171		#5 Rebar	6.95	13	100	1.043	104.3	LBS	\$2.5	\$1.5	\$417	
172		#5 Rebar	7.75	9	77	1.043	80.311	LBS	\$2.5	\$1.5	\$321	
173		#5 Rebar	9.18	5	51	1.043	53.193	LBS	\$2.5	\$1.5	\$213	
174		#5 Rebar	9.2	7	71	1.043	74.053	LBS	\$2.5	\$1.5	\$296	
175		#5 Rebar	11.11	1	13	1.043	13.559	LBS	\$2.5	\$1.5	\$54	
176		#5 Rebar	11.9	1	14	1.043	14.602	LBS	\$2.5	\$1.5	\$58	
177		#5 Rebar	12.11	1	14	1.043	14.602	LBS	\$2.5	\$1.5	\$58	
178		#5 Rebar	12.35	1	14	1.043	14.602	LBS	\$2.5	\$1.5	\$58	
179		#5 Rebar	12.62	1	14	1.043	14.602	LBS	\$2.5	\$1.5	\$58	
180		#5 Rebar	12.89	1	15	1.043	15.645	LBS	\$2.5	\$1.5	\$63	
181		#5 Rebar	13.07	10	144	1.043	150.192	LBS	\$2.5	\$1.5	\$601	
182		#5 Rebar	13.15	1	15	1.043	15.645	LBS	\$2.5	\$1.5	\$63	
183		#5 Rebar	13.34	7	103	1.043	107.429	LBS	\$2.5	\$1.5	\$430	
184		#5 Rebar	13.42	1	15	1.043	15.645	LBS	\$2.5	\$1.5	\$63	
185		#5 Rebar	13.65	2	31	1.043	32.333	LBS	\$2.5	\$1.5	\$129	
186		#5 Rebar	13.95	1	16	1.043	16.688	LBS	\$2.5	\$1.5	\$67	
187		#5 Rebar	14.22	1	16	1.043	16.688	LBS	\$2.5	\$1.5	\$67	
188		#5 Rebar	14.39	1	16	1.043	16.688	LBS	\$2.5	\$1.5	\$67	
189		#5 Rebar	14.49	1	16	1.043	16.688	LBS	\$2.5	\$1.5	\$67	
190		#5 Rebar	21	14	324	1.043	337.932	LBS	\$2.5	\$1.5	\$1,352	



PROJECT ID: Ball Findlay - L3 & L4 – OH  
 L3 & L4 1340 County Road 99 21045 Findlay, OH 45840  
 SCOPE: Reinforcement



COMPANY INFORMATION: USA CONSTRUCTION ESTIMATING  
 CONTACT: +1 760 814 9551  
 E-MAIL ADDRESS: [info@usaconstructionestimating.com](mailto:info@usaconstructionestimating.com)  
 PHONE NUMBER:  
 Date:

ITEM #	DWG. #	DESCRIPTION	Cut Length (LF)	No of Bars (EA)	Total Linear Feet (LF)	Unit Weight of Rebar (LBS/FT)	Total Weight of Rebar	UNIT	MATERIAL COST	LABOR COST	TOTAL COST	TRADE COST	
SUBTOTAL											\$217,331.99		
OVERHEAD			15%										\$32,599.80
INSURANCE			3%										\$6,519.96
CONTINGENCY			5%										\$10,866.60
<b>TOTAL BASE BID</b>											<b>\$267,318.35</b>		

**Note:**